

Product overview &  
packaging specification  
March 2025



FOR A BETTER TOMORROW

# Igniting the wave of change



# URSA WALLTEC BLACK 32

Thermal Conductivity: 0.032W/mK



RAINSCREEN CLADDING

Thickness mm	Length mm	Width mm	Slabs per Pack	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
40	1350	600	15	12.15	16	194.40	D	2144922
50	1350	600	11	8.91	20	178.20	D	2145010
60	1350	600	9	7.29	20	145.80	D	2143710
80	1350	600	7	5.67	20	113.40	D	2143721
100	1350	600	5	4.05	20	81.00	S	2143723
120	1350	600	6	4.86	16	77.76	S	2145000
130	1350	600	5	4.05	16	64.80	S	2145011
140	1350	600	5	4.05	16	64.80	S	2143724
150	1350	600	4	3.24	16	51.84	S	2136983
160	1350	600	4	3.24	16	51.84	S	2143725
180	1350	600	3	2.43	20	48.60	D	2143712
200	1350	600	3	2.43	16	38.88	D	2141838
220	1350	600	3	2.43	16	38.88	D	2143713
240	1350	600	3	2.43	16	38.88	D	2144582

# URSAPAN

Thermal Conductivity: 0.035W/mK



RAINSCREEN CLADDING

Thickness mm	Length mm	Width mm	Slabs per Pack	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
30	1350	600	22	17.82	20	356.40	D	2143715
40	1350	600	17	13.77	20	275.40	D	2143716
50	1350	600	14	11.34	20	226.80	S	2143717
60	1350	600	12	9.72	20	194.40	D	2143718
80	1350	600	8	6.48	24	155.52	D	2143720

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)

## URSAPAN BLACK

Thermal Conductivity: 0.035W/mK



RAINSCREEN CLADDING

Thickness mm	Length mm	Width mm	Slabs per Pack	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
90	1350	600	7	5.67	24	136.08	NS	2144903
100	1350	600	7	5.67	20	113.40	D	2143735
120	1350	600	5	4.05	24	97.20	D	2143736
130	1350	600	5	4.05	24	97.20	D	2144474
140	1350	600	5	4.05	20	81.00	D	2143738
150	1350	600	5	4.05	20	81.00	D	2143739
160	1350	600	4	3.24	24	77.76	D	2143740
180	1350	600	4	3.24	20	64.80	D	2143741
200	1350	600	3	2.43	24	58.32	D	2143742
220	1350	600	3	2.43	24	58.32	D	2143743
240	1350	600	3	2.43	20	48.60	D	2143744

## URSA WALLTEC REFLEX

Thermal Conductivity: 0.032W/mK



SOFFITS

Thickness mm	Length mm	Width mm	Slabs per Pack	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
131	1350	600	5	4.05	16	64.80	D	2143714
138	1350	600	5	4.05	16	64.80	D	2143746
150	1350	600	4	3.24	16	51.84	D	2142373

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)

## URSA FRAMETEC SLAB 35

Thermal Conductivity: 0.035W/mK



LIGHT STEEL FRAME WALLS



Price per m <sup>2</sup>	Length mm	Width mm	Slabs per Pack	Pack Area (m <sup>2</sup> )	Packs per pallet	Pallet Area (m <sup>2</sup> )	Stock / Non-stock	Product Code
90	1350	600	7	5.67	24	136.08	D	2144997
100	1350	600	7	5.67	20	113.40	D	2144772
120	1350	600	6	4.86	20	97.20	D	2144774
150	1350	600	5	4.05	20	81.00	D	2144743

## URSA CAVITY BATT 32

Thermal Conductivity: 0.032W/mK



EXTERNAL MASONRY CAVITY WALLS



Thickness mm	Length mm	Width mm	Batts per Pack	Pack Area (m <sup>2</sup> )	Packs per pallet	Pallet Area (m <sup>2</sup> )	Stock / Non-stock	Product Code
75	1350	455	7	4.30	25	107.49	D	2143381
85	1350	455	6	3.69	25	92.14	D	2143382
100	1350	455	5	3.07	25	76.78	S	2143383
125	1350	455	4	2.46	25	61.43	S	2143328
150	1350	455	4	2.46	20	49.14	S	2143384
175	1350	455	3	1.84	25	46.07	NS	2143411
200	1350	455	3	1.84	20	36.86	S	2143412

## URSA CAVITY BATT 35

Thermal Conductivity: 0.035W/mK



EXTERNAL MASONRY CAVITY WALLS



Thickness mm	Length mm	Width mm	Batts per Pack	Pack Area (m <sup>2</sup> )	Packs per pallet	Pallet Area (m <sup>2</sup> )	Stock / Non-stock	Product Code
75	1350	455	8	4.91	30	147.42	D	2143385
100	1350	455	6	3.69	30	110.57	S	2143396
125	1350	455	5	3.07	30	92.14	D	2143398
150	1350	455	4	2.46	30	73.71	D	2143671

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)

## URSA PARTY WALL ROLL

Thermal Conductivity: 0.035W/mK

Density: Nominal 22kg/m³



MASONRY PARTY WALLS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
100	6000	2x455	5.46	18	98.28	S	2141341

## URSA ACOUSTIC ROLL

Thermal Conductivity: 0.035W/mK

Density: Nominal 22kg/m³



INTERNAL WALLS & FLOORS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
25	20000	2x600	24.00	24	576.00	S	2138181
25	20000	1200	24.00	24	576.00	S	2138160
50	12000	2x600	14.40	24	345.60	S	2138183
60	10000	2x600	12.00	24	288.00	S	2138182
75	8000	2x600	9.60	24	230.40	S	2138184
100	6000	2x600	7.20	24	172.80	S	2138185

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)



## URSA FRAMETEC 32

Thermal Conductivity: 0.032W/mK



TIMBER FRAME WALLS & ROOFS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
90	5500	2x580	6.38	18	114.84	S	2141966
140	3700	2x580	4.29	18	77.26	S	2144996

## URSA FRAMETEC 35

Thermal Conductivity: 0.035W/mK



TIMBER FRAME WALLS & ROOFS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
90	6500	2x580	7.54	24	180.96	D	2142931
140	4250	2x580	4.93	24	118.32	D	2142932

## URSA FRAMETEC SLAB 32

Thermal Conductivity: 0.032W/mK



TIMBER FRAME WALLS & ROOFS



Thickness mm	Length mm	Width mm	Slabs per Pack	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
90	1200	570	5	3.42	20	68.40	NS	2139586
140	1200	570	3	2.05	20	41.04	NS	2139587

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)

## URSA HOMETEC ROLL 32

Thermal Conductivity: 0.032W/mK



TWIN SKIN METAL CLAD ROOFS & WALLS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
60	5400	1200	6.48	18	116.64	D	2134604
80	5400	1200	6.48	18	116.64	D	2134605
101	5000	1200	6.00	18	108.00	S	2141962
120	4500	1200	5.40	18	97.20	S	2145001
140	3700	1200	4.44	18	79.92	S	2145002
160	3300	1200	3.96	18	71.28	S	2145003
180	3000	1200	3.60	18	64.80	S	2145004
200	2600	1200	3.12	18	56.16	D	2140135
220	2500	1200	3.00	18	54.00	D	2142831
240	2400	1200	2.88	18	51.84	D	2144836

## URSA HOMETEC ROLL 35

Thermal Conductivity: 0.035W/mK



TWIN SKIN METAL CLAD ROOFS & WALLS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
60	11000	1200	13.20	18	237.60	S	2141951
80	8000	1200	9.60	18	172.80	S	2075264
100	6500	1200	7.80	18	140.40	S	2141953
120	6000	1200	7.20	18	129.60	S	2144458
140	5000	1200	6.00	18	108.00	S	2144459
150	4000	1200	4.80	18	86.40	S	2075262
160	4500	1200	5.40	18	97.20	S	2144460
180	4000	1200	4.80	18	86.40	S	2144491
200	3600	1200	4.32	18	77.76	S	2144492
220	3200	1200	3.84	18	69.12	S	2144493
240	3000	1200	3.60	18	64.80	S	2144494
260	2700	1200	3.24	18	58.32	D	2144495

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)

## URSA HOMETEC ROLL 40

Thermal Conductivity: 0.040W/mK



TWIN SKIN METAL CLAD ROOFS & WALLS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
60	13500	1200	16.20	24	388.80	S	2137715
80	10500	1200	12.60	24	302.40	S	2137716
90	9000	1200	10.80	24	259.20	D	2126893
100	8500	1200	10.20	24	244.80	S	2137717
120	7500	1200	9.00	24	216.00	S	2137718
140	6500	1200	7.80	24	187.20	S	2137713
160	5500	1200	6.60	24	158.40	S	2137714
180	5000	1200	6.00	24	144.00	S	2075406
200	4500	1200	5.40	24	129.60	D	2137719
220	4000	1200	4.80	24	115.20	NS	2138527
240	3750	1200	4.50	24	108.00	S	2137781
260	3500	1200	4.20	24	100.80	S	2138528
280	2800	1200	3.36	24	80.64	D	2140802

## URSA 10 DIVERSO

Thermal Conductivity: 0.044W/mK



LOFTS



Thickness mm	Length mm	Width mm	Pack Area (m²)	Packs per pallet	Pallet Area (m²)	Stock / Non-stock	Product Code
150	7500	1140/2x570/3x380	8.55	24	205.20	S	2132733
200	5500	1140/2x570/3x380	6.27	24	150.48	S	2132731

S: Stock

NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)

D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)



# Customer Service Offer

## A full load is 20 pallets.

Delivery time will be either morning (am) or afternoon (pm).

We can deliver direct to site if the site has access for large articulated vehicles, has a suitable offload facility and is not subject to vehicle restrictions.

Many cities now have congestion charges, clean air zones, low emission zones and similar schemes. Any charges and/or costs for these will be passed on.



## Customer service

T 01786 451170

E customerservice.stirling@etexgroup.com

## Sales team

### 1 Michael Robinson

Commercial Manager  
UK & Ireland

T 07771 510551

### 2 Kate Fox

Regional Sales Manager  
Midland

T 07825 632783

### 3 Mark Guest

Regional Sales Manager  
South

T 07717 699344

---

### Ian Claydon

Technical Manager

T 07771 510550



FOR A BETTER TOMORROW

Etex UK Insulation Limited. Thistle Industrial Estate, Kerse Road, Stirling, Scotland FK7 7QQ

Technical:

T. **0808 1645 134**

E. **technicalursa.uk@etexgroup.com**

Customer Services:

T. **01786 451170**

E. **customerservice.stirling@etexgroup.com**

Social:

**in** /showcase/ursa-uk-ireland

**@** /ursainsulation

URSAPO01  
March 2025